

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>09/180608</u>	Examiner : <u>Juntima</u>	GAU : <u>26603</u>
From : <u>T. McGill</u>	Location : <u>(IDC) FMF FDC</u>	Date : <u>12-14-05</u>

Tracking # 09/180608 Week Date: 1-25-05

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input checked="" type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	<u>Amendment</u>
<input type="checkbox"/> OATH	_____	<u>A.P.E 3-5-01</u>
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

[RUSH] MESSAGE: The instruction in Amdt A.P.E 3-5-01
to page 2⁹ line 20 does not
correspond with specification.

Thank you

[XRUSH] RESPONSE: Corrected w/ supplemental Ex' Amdt.

Thanks,

INITIALS: MG

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
 REV 10/04